

Perinatal Hepatitis B Prevention Program (PHBPP)

Michigan Perinatal Hepatitis B Prevention Program Staff:

Manager:	Patricia Vranesich	517-335-8159	vranesichp@michigan.gov
Coordinator:	Pat Fineis	517-335-9443	fineisp@michigan.gov
Surveillance Specialist:	Kari Tapley	313-456-4431	tapleyk@michigan.gov
Case Manager/SE MI:	Sallie Pray	313-456-4432	prays@michigan.gov
Case Manager/Out-state:	Marcy Smith	517-335-8122	smithm7@michigan.gov

Mission: To identify hepatitis B surface antigen-positive (HBsAg-positive) women

prenatally or at delivery for each pregnancy so that their infants, household and sexual contacts can be tested and treated to prevent the spread of the hepatitis B

virus (HBV).

Surveillance: Statewide, an average of 300 infants born to HBsAg-positive women is reported

annually. Based on Centers for Disease Control and Prevention (CDC) estimates,

396-597 infants born to HBsAg-positive women should be identified annually.

Prevention: Prevention of perinatal hepatitis B transmission requires the coordinated transfer of

information between laboratories, primary care providers, hospitals, and the

local/state health departments to ensure that all:

• Pregnant women are screened for HBsAg, all HBsAg-positive results are reported to the local health department (LHD) in the county where the patient resides within 24 hours, and the results are sent to the delivery hospital with the prenatal care record.

- Household and sexual contacts of HBsAg-positive pregnant women are identified, tested and immunized if susceptible.
- Infants of HBsAg-positive women receive appropriate prophylaxis and postvaccination serology.
- All infants receive the birth dose of hepB vaccine prior to hospital discharge.

To view the manual in its entirety or to obtain additional copies go to www.michigan.gov/hepatitisB.

See the 12/23/05 MMWR: "A Comprehensive Immunization Strategy to Eliminate Transmission of Hepatitis B Virus Infection in the United States" for the latest Advisory Committee on Immunization Practices (ACIP) recommendations, at http://www.cdc.gov/mmwr/preview/mmwrhtml/rr5416a1.htm.